PROTOCOL: MRI ORBITS+BRAIN COMBO WWO

CLINICAL

INDICATIONS/ Multiple sclerosis with optic neuritis. Screening exam for combination orbits and brain order

HISTORY:

Generate and send fractional ansiotropy (FA) map if possible TIPS:

Always generate and send trace and ADC maps for DTI (which replaces DWI).

SCAN ORDER	PLANE	IMAGE CONTRAST/ WEIGHTING	MODE	PULSE SEQ	COVERAGE		TR RANGE TE RANGE		TI	FLIP ANGLE	THICKNES S/GAP (mm)	FOV (cm)	Max Pixel (mm) Fr x Ph	PHASE AXIS	SEND TO PACS	Max scan time (target)
1	COR	T2 STIR	2D	FSE	PONS	LENS	4000-7000	85-105	-	>130	3/0	14-16	1.0X1.0	RL	IF 3D: AX & SAG, 1 MM	5:00
2	AX	T2 DIXON	2D	FSE	PONS	LENS	4000-7000	85-105	-	>130	3/0	14-16	1.0X1.0	RL	IN + WATER	4:30
3	COR	T1	2D	FSE	ENTIRE	ORBITS	<790	MIN	-	>130	3/0	14-16	1.0X1.0	RL	FULL SERIES	4:00
4	AX	T1	2D	FSE	ENTIRE	ORBITS	<790	MIN	-	>130	3/0	14-16	1.0X1.0	RL	FULL SERIES	4:00
5	SAG	T2FLAIR	3D	CUBE/ SPACE/ VISTA	ENTIRE HEAD	AND EARS	>5000	~140	VARIES	>130	1/OVLP	24-25	1.0X1.0	PA	FULL SERIES+ AX/COR 1X1 MPR	5:00
6	АХ	DWI (b1200) w calculated b2000 if avail	2D	EPI/ RESOLVE	FORAMEN MAGNUM	VERTEX	>4000	MIN	-	90	5/.5	24	2.5X2.5	АР	FULL SERIES + ADC MAP	3:00
7	AX	SWI/GRE	3D/2D	GRE/EPI	FORAMEN MAGNUM	VERTEX	VARIES	VARIES	-	10-15	1-2/OVLP or 5/.5	24	1.0X1.0	RL	FULL SERIES	3:50
CONTRAST											•					•
8+C	AX	T1 FS	2D	FSE	COVER ENTIRE ORBITS		<790	MIN	-	>130	3/0	14-16	1.0X1.0	RL	FULL SERIES	5:00
9+C	COR	T1 FS	2D	FSE	COVER FROM PONS TO LENS		<790	MIN	-	>130	3/0	14-16	1.0X1.0	RL	FULL SERIES	4:45
10+C	АХ	T1	2D	SE w/ Flow Comp	FORAMEN MAGNUM	VERTEX	<790	MIN FULL	-	90	5/.5	24-25	.9x.9	RL	FULL SERIES	4:00
11+C	SAG	T1	3D	MPRAGE/ BRAVO	COVER EN	TIRE HEAD NG EARS	VARIES BY SCANNER				1-1.2/0	24-25	1.0X1.0	PA	FULL SERIES+ AX/COR 1X1 MPR	4:55